

2020

Blood Collection Tips for Parents

Pathology and
Laboratory Medicine



Aussi disponible en français : *Conseils aux parents pour les prises de sang : Pathologie et médecine de laboratoire* (FF85-2149) www.nshealth.ca

Tell the truth.

Tell your child they are going to have a blood test. Give your child time to understand what this means.

Help your child get ready.

Tell your child what is going to happen:

- Sometimes doctors need blood to find out how your body is working.
- Tell your child where they will be going.
- Let them know that you can/will stay with them.
- A rubber band will be put on their arm. It will be tight, but it will help the health care provider find their veins.
- A small spot on their arm will be cleaned with a little pad. This will make it feel cool.
- A thin needle will be used. It might cause a bit of pain, like a pinch.
- It's important to stay very still.

Note: Some NSHA blood collection sites are not able to collect blood from patients under 12 years old. Visit www.nshealth.ca/blood-collection for more info.

Answer any questions they may have.

Your child will likely be curious about what is going to happen. Take the time to answer their questions.

Common questions include:

- “Will it hurt?”
- “How much blood will they take?”
- “What if there isn’t enough blood left after?”

Make sure your child has enough fluids.

It is easier to collect blood from someone who is well hydrated (has enough fluids in their body). Even if your child must fast (not eat) before their test, they can drink water.


Give your child a sense of control.

- Ask your child to make choices, like picking a toy or book to bring, or a snack to have afterwards.
- Let them watch while the health care provider takes their blood, if they want to. Not letting your child watch can make their fears worse. Letting them watch takes away the mystery and shows them that it’s not that bad.

Stay positive.

- Try to be cheerful about the process.
- Take care not to let your child know about any bad feelings you may have about the test. Don't tell your child about any bad blood collection experiences you may have had.
- You may feel more anxious than your child. If so, consider sending your child with someone else, such as a spouse, grandparent, or other trusted person.

Work with the health care team.

- Being friendly with the health care team will help your child feel more relaxed.
 - If your child has had a bad blood collection experience in the past, or has a history of fainting, let the health care team know.
 - Parents are encouraged to take part in the process, especially with young children. You may be asked to hold your child, keep their arm still, offer comfort, or provide a distraction (see back cover).
- 

Bring something for your child to play with.

- Children may find it hard to cope when their blood is being taken, especially the first time. If your child has a favourite stuffed animal to squeeze or song to sing, this may help to distract them. Toys, tablets, and cell phones can work too.
- If you don't have something for your child to play with, find something in the room for them to focus on, like a picture or poster to talk about.
- Ask your child to breathe deeply, all the way down in their belly. This can help them relax, and give them something else to think about.

Use comfort hold techniques.

- These positions can help you hold your child during their blood collection. They will help your child to feel safe while also helping to keep their arm still.
- Be sure to hold your child until the health care provider tells you they are finished.



Back-to-chest



Place your child on your lap, facing away from you. Place their arm over or under your arm.

Chest-to-chest



Place your child on your lap, facing towards you. Place their arm over or under your arm.

Prepared by: Pathology & Laboratory Medicine, Halifax

Illustrations by: Staff

Designed by: NSHA Library Services

QY85-2089 © June 2020 Nova Scotia Health Authority

The information in this pamphlet is to be updated every 3 years or as needed.